CONTENTS OF HEREDITAS, VOLUME 134:1–3 (2001)

271 Anthony, N., Gelembiuk, G., Raterman, D., Nice, C. and Ffrench-Constant, R.
Isolation and characterization of microsatellite markers from the endangered Karner blue butterfly *Lycaeides melissa samuelis* (Lepidoptera).

201 Artoni, R.F. and Bertollo, L.A.C.
Trends in the karyotype evolution of Loricariidae fish (Siluriformes).

103 Assefa, K., Tefera, H., Merker, A., Kefyalew, T. and Hundera, F.
Variability, heritability and genetic advance in pheno-morphic and agronomic traits of tef [*Eragrostis tef* (Zucc.) Trotter] germplasm from eight regions of Ethiopia.

59 Brondani, C., Brondani, R.P.V., Rangel, P.H.N. and Ferreira, M.E.
Development and mapping of *Oryza glumaepatula*-derived microsatellite markers in the interspecific cross *Oryza glumaepatula* × *O. sativa*.

135 Clemente, M., Garma, C., De Sola, B.G. and Henriques-Gil, N.
Steep variation in mitochondrial DNA and B chromosomes among natural populations of *Eyprepocnemis plorans* (Acrididae).

79 Ellneskog-Staam, P. and Merker, A.
Genome composition, stability and fertility of hexaploid alloploids between *Triticum turgidum* var. *carthlicum* and *Leymus racemosus*.

91 Erkkilä, M.J. and Ahokas, H.
Special barley β-amylase allele in a Finnish landrace line HA52 with high grain enzyme activity.

125 Fedorova, S., Nokkala, S., Chubykin, V. and Omelyanchuk, L.
The isolation of a mutation causing abnormal cytokinesis in male and split chromocenter in female meiosis in *Drosophila melanogaster*.

115 Forsström, P.-O. and Merker, A.
Sources of wheat powdery mildew resistance from wheat-rye and wheat-*Leymus* hybrids.

225 Francisco, M.R. and Galetti Jr, P.M.
Cytotaxonomic considerations on Neotropical Psittacidae birds and description of three new karyotypes.

161 Goodisman, M.A.D. and Crozier, R.H.
Clines maintained by overdominant selection in hybrid zones.

255 Gordon, I.L.
Quantitative genetics of autogamous F_2.

195 Gylfe, Å., Yabuki, M., Drotz, M., Bergström, S., Fukunaga, M. and Olsen, B.
Phylogeographic relationships of *Ixodes uriae* (Acari: Ixodidae) and their significance to transequatorial dispersal of *Borrelia garinii*.

153 Hanson, L., Bryman, I., Barrenäs, M.-L., Janson, P.-O., Wahlström, J., Albertsson-Wikland, K. and Hanson, C.
Genetic analysis of mosaicism in 53 women with Turner syndrome.

147 Iannuzzi, L., Di Meo, G.P., Leifsson, P.S., Eggen, A. and Christensen, K.
A case of trisomy 28 in cattle revealed by both banding and FISH-mapping techniques.

211 Khattak, G.S.S., Haq, M.A., Ashraf, M. and McNeilly, T.
Genetic basis of variation of yield, and yield components in mungbean (*Vigna radiata* (L.) Wilczek).

141 Li, L. and Arumuganathan, K.
Physical mapping of 45S and 5S rDNA on maize metaphase and sorted chromosomes by FISH.

219 Li, R., Taylor, S. and Jenkins, G.
Unravelling the phylogeny of tetraploid *Vicia amoena* (Fabaceae) and its diploid relatives using chromosomal landmarks.

73 Lorite, P., García, M.F., Carrillo, J.A. and Palomeque, T.
A new repetitive DNA sequence family in the olive (*Olea europaea* L.).

121 Machado, V., Galián, J., De Araújo, A.M. and Valente, V.L.S.
Cytogenetics of eight Neotropical species of *Chauliognathus* Henzt, 1830: implications on the ancestral karyotype in Cantharidae (Coleoptera).

245 Martí, D.A. and Bidau, C.J.
Synapsis in Robertsonian heterozygotes and homozygotes of *Dichroplus pratensis* (Melanoplinae, Acrididae) and its relationship with chiasma patterns.

229 Matos, M., Pinto-Carnide, O. and Benito, C.
Phylogenetic relationships among Portuguese rye based on isozyme, RAPD and ISSR markers.

185 Nassar, N.M.A.
The nature of apomixis in cassava (*Manihot esculentum*, Crantz).

171 Nyberg Berglund, A.-B. and Westerbergh, A.
Two postglacial immigration lineages of the polyploid *Cerastium alpinum* (Caryophyllaceae).

43 Persson, K., Fält, A.-S. and Bothmer, R. von.
Genetic diversity of allozymes in turnip (*Brassica rapa* L. var. *rapa*) from the Nordic area.

237 Persson, K., Díaz, O. and Bothmer, R. von.
Extent and patterns of RAPD variation in landraces and cultivars of rye (*Secale cereale* L.) from Northern Europe.

35 Pessino, S.C., Espinoza, F., Martínez, E.J., Ortiz, J.P.A., Valle, E.M. and Quarín, C.L.
Isolation of cDNA clones differentially expressed in flowers of apomictic and sexual *Paspalum notatum*.

85 Radwan, J. and Drewniak, M.
Inbreeding depression for size but not for symmetry in *Drosophila melanogaster*.

267 Reise, H., Zimdars, B., Jordaens, K. and Backeljau, T.
First evidence of possible outcrossing in the terrestrial slug *Arion intermedius* (Gastropoda: Pulmonata).

97 Roussy, I., Ahlandsberg, S. and Jansson, C.
Transformation and regeneration capacities for five Nordic barley elite cultivars—evaluation of tissue culture response and transient expression.

53 Rubiales, D., Carver, T.W.L. and Martín, A.
Expression of resistance to *Blumeria graminis* f.sp. *tritici* in 'Chinese Spring' wheat addition lines containing chromosomes from *Hordeum vulgare* and *H. chilense*.

189 Santos, N., Fagundes, V., Yonenaga-Yassuda, Y. and Souza, M.J.
Comparative karyology of Brazilian vampire bats *Desmodus rotundus* and *Diphylla ecaudata* (Phyllostomidae, Chiroptera): banding patterns, base-specific fluorochromes and FISH of ribosomal genes.

15 Semeshin, V.F., Shloma, V.V. and Zhimulev, I.F.
Formation and morphology of dark puffs in *Drosophila melanogaster* polytene chromosomes.

1 Werlemark, G. and Nybom, H.
Skewed distribution of morphological character scores and molecular markers in three interspecific crosses in *Rosa* section *Caninae*.

23 Yamasaki, Y., Helou, K., Watanabe, T.K., Sjöling, Å., Suzuki, M., Okuno, S., Ono, T., Takagi, T., Nakamura, Y., Stahl, F. and Tanigami, A.
Mouse chromosome 19 and distal rat chromosome 1: a chromosome segment conserved in evolution.

263 Zakharov, I.A. and Shaikevich, E.V.
The Stockholm populations of *Adalia bipunctata* (L) (Coleoptera: Coccinellidae)—a case of extreme female-biased population sex ratio.